

INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH THIRUVANANTHAPURAM (IISERTVM) (Govt. of India, Ministry of H.R.D)

Рн: 0471-2597454 Fax:0471-2597427

EMAIL: PURCHASESTORES@IISERTVM.AC.IN

CET CAMPUS, KULATHUR, ENGINEERING COLLEGE.P.O THIRUVANANTHAPURAM 695016, KERALA, INDIA.

Date: 10th August 2016

INVITATION TO TENDER

No: IISER/PUR/8353/KSA/SP/16

Due Date: 01st September 2016 [4PM]

Date of opening: 02nd September 2016 [3 PM]

Dear Sirs.

SUB: Supply of Optomechanics and Optical Components.

We invite Sealed Tenders for the following items:

S1 #:	Item/ Description	
1.	Optomechanics and Optical components Details as per Annexure I	

Please quote your lowest rate and shortest delivery period as per the following terms. Your offer in sealed cover <u>Superscribing Tender Number and Due Date</u> shall reach us on or before the due date and time. Please follow "Instruction to Tenderers" attached.

EMD

: Rs. 16,000/-in the form of DD or B.G. to be submitted along with the quote. Quote received without EMD will be summarily rejected.

Payment

: Within 30 days after supply and installation/Net 30 days /LC. No advance payment will be made by IISERTVM.

Delivery

: To be delivered at our stores (Free delivery). If import, mention

Ex-works/FCA/CIP terms with clear breakup charges.

Taxes & Duties

: Indicate taxes and duties. We are exempted for customs duty

under 51/96 notification and Excise duty under 10/97

notifications

Discount

: Indicate, if any.

Delivery Schedule

: Required Immediately. Indicate your schedule

Validity of quote

: 60 days

Thanking you

Yours Faithfully

Please see the rear side for other Terms & Conditions

Deputy Registrar (In charge)

Purchase & Stores

P.S. (1) CATALOGUE/LEAFLET FEATURING ALL TECHNICAL SPECS/INFORMATION OF THE PRODUCT QUOTED SHALL ACCOMPANY THE OFFER.

IISER-TVM

INSTRUCTION TO TENDERERS [IMPORTS]:

- 1. PRICE: The price quoted shall be firm. The terms of FOB/EXW/FCA/CIF/CIP etc shall be clearly mentioned.
- 2. AGENT & AGENCY COMMISSION: In case Tenderer is represented by any agent in India, their name and address shall be furnished. The amount of commission included in the price shall be clearly shown in the offer; which will be paid directly to the Indian Agents by purchaser in equivalent Indian Rupees. Incase Indian agents existing and their agency commission is not shown in the Tender, reasons for the same shall be clearly mentioned in Tender. Details of Indian agent's statutory registration shall be stated. If Agency Commission is paid by Principals in foreign currency, the reasons for the same and exemption from Enforcement Directorate in India shall also be provided.
- 3. <u>LEAFLET/CATALOGUE</u>: Tenderer should furnish all necessary leaflet/catalogue etc., of the stores offered by him to enable the Purchaser to evaluate his offer correctly.
- 4. Mode of Despatch: Tenderer shall indicate the mode of dispatch (i.e., Sea/Air-freight/Parcel Post, etc.) depending upon the normal mode of dispatch adopted by him for the type of stores offered for consideration of the Purchaser.
- 5. COUNTRY OF ORGIN: Tenderer shall indicate in his offer the country of origin of goods offered and the name and address of the manufacture.
- 6. INSURANCE: If insurance of the goods is felt necessary, the same shall be advised by the Tenderer in the offer.
- 7. Delivery Shipment: The time for and date of delivery quoted shall be reasonable/realistic and shall strictly be adhered to incase of placing order on the Tenderer.
- 8. Mode and Terms of Payment: Payment in full (excluding the amount of Agency Commission included in the price payable directly by the Purchaser to the Indian Agents in Indian Rupees) will be made immediately on presentation of the prescribed documents against SIGHT DRAFT or LETTER OF CREDIT or WIRE TRANSFER against shipping documents. OURS BEING A GOVT OF INDIA EDUCATIONAL INSTITUTE WE ARE UNABLE TO MAKE ANY ADVANCE PAYMENT
- 9. WARRANTY: Period of warranty and conditions shall be clearly mentioned in the Tender.
- 10. GENERAL: The Tenderer shall also be complied with the following:
- a. Mention your Banker's name and address.
- b. Show approximate net and gross weight and dimensions of packages/ cases. If dimensional details are available the same should also be indicated in your offer.
- c. Furnish list of recommended spares for satisfactory operation for a minimum period of one year if the quote is for Plant & Machinery, Equipments etc.
- d. Details of any technical service, if required for erection assembly, commissioning and demonstration.
- e. Conform that the prices quoted are inclusive of all taxes, levies, duties arising in the tenderer's country.
- f. Samples, if called for, will be sent free of all charges.
- g. Late tenders and Delayed will not be considered.
- h. Offers made by Indian Agents on behalf of their Principals, should be supported by the Proforma Invoice of their Principals.
- i. The authority of person signing the tender, if called for, shall be produced.
- j. The purchaser reserves the right to accept or reject the lowest or any other offer in whole or in part without assessing any reason.
- 11. <u>Tender Opening:</u> All tenders will be opened at **Pratheeksha Building**. Authorized representatives with authorization letters of the bidders may attend the Tender Opening.

INSTRUCTION TO TENDERERS [Indigenous]

- 1. Tenders should be sent in sealed envelopes superscribing the relevant tender no. and the due date of opening. Only one tender should be sent in each envelope.
- 2. Sales Tax and /or other duties/levies where legally levies and intended to be claimed should be distinctly shown separately in the tender.
- 3. (a). Your quotation should be valid for a minimum period of 90 days from the date of opening of the Tender. Quotation with firm prices will be preferred.
 - (b). Prices are required to be quoted according to the units indicated in the Invitation to Tender. When quotations are given in terms of units other than those specified in the tender form, relationship between the two sets of units must be furnished.
- 4. (a) Preference will be given to those tenders offering supplies from ready stocks. The basis of delivery is at IISER site free of cost.
 - (b) Our payment terms are within 30 days of receipt and acceptance of the item at our site.
- 5. (a) All available technical literature, catalogues and other data in support of the specifications and details of the items should be furnished along with the offer.
 - **Specifications:** Stores offered should strictly conform to our specifications. Deviations, if any should be clearly indicated by the tenderer in their quotation. The tenderer should also indicate the Make/Type number of the stores offered and provide catalogues, technical literature and samples, wherever necessary along with the quotations. Test Certificates wherever necessary should be forwarded along with supplies. Whenever specifically mentioned by us the tenderer could suggest changes to specifications with appropriate reasons for the same.
- 6. IISER shall be under no obligation to accept the lowest or any tender and reserves the right of acceptance of the whole or any part of the tender or portion of the quantity offered and the tenderers shall supply the same at the rates quoted.
- 7. Corrections, if any, in the Quotation must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amounts quoted in words and figures, amount quoted in words shall prevail. Quotation must have price for each line item and totaling of the price including taxes and duties should be clearly mentioned.
- 8. The tenderer should mention the name of his bankers, Sales Tax Registration, PAN number etc in the tender.
- 9. The authority of the person signing the tender, if called for, should be produced.
- 10. IISER being a Govt of India Educational and Research Institute, is exempted from payment of Excise Duty under Notification No. 10/97 and Customs Duty under Notification No. 51/96- Customs dated 23rd July 2009. Also, we can issue Form16 as per VAT Rules.
- 11. The stores supplied should be covered with minimum of 1 year warranty from the date of supply, installation and commissioning.
- 12. Earnest Money Deposit/ Bid Security should be submitted alongwith your quote as mentioned in Invitation for Tender. EMD should be in favour of Indian Institute of Science Education and Research Thiruvananthapuram valid for 90 days.

List of Optomechanics and Optical components

Sl. No	Item Name	Description	Required Quantity
1.	Ø1" Nd:YAG Laser	Wavelength region 524-532nm	8
	line Mirror	Angle of Incidence 0° and 45°	0
	(Ø represents diameter)	S-Polarization: R _{avg} > 99.5% (524 - 532 nm)	
	(P-Polarization: R _{avg} > 99.0% (524 - 532 nm)	
		Damage Threshold: 8 J/cm ² @ 532 nm, 6-10 ns,	
		Pulse repetition rate 10 Hz	
2.	Bases and Post Holders	1" Post holders	
~.	Essentials Kit, Metric.	1.5" Post holders	8
	The Kit Should contain	2" Post holders	8
	at least the items listed	3" Post holders	8
	in the column of		8
	description. Minimum	4" Post holders	5
		6" Post holders	5
	number of required	Mounting Base, 2" x 3" x 3/8"	8
	quantity for each item	Mounting Base, 1" x 2.3" x 3/8"	8
	is also mentioned.	Mounting Base, 1" x 3" x 3/8"	8
		Mounting Base, 1" x 3" x 3/8"	8
-		9 Drawer storage box	1
3.	Posts & Accessories	30 mm Long Stainless Steel Post, Ø0.499"	8
	Essentials Kit, Metric.	40 mm Long Stainless Steel Post, Ø0.499"	8
	The Kit Should contain	50 mm Long Stainless Steel Post, Ø0.499"	8
	the items listed in the	75 mm Long Stainless Steel Post, Ø0.499"	8
	column of description.	100 mm Long Stainless Steel Post, Ø0.499"	8
	Minimum number of	150 mm Long Stainless Steel Post, Ø0.499"	8
	required quantity for	Right angle post clamp	8
	each item is also	Small V-clamp	2
	mentioned.	Large V-clamp	2
		Continuously adjustable Swivel Post clamp	3
		Small right angle bracket	5
		Small adjustable clamping arm (M4 threaded post)	$\frac{3}{2}$
		Large adjustable clamping arm (M4 threaded post)	
		9 Drawer storage box	4
4.	Optical Mounts	Kinematic mirror mount for Ø1" optics	1
	Essentials Kit, Metric.	2" x 2" Kinematic Platform Mount	8
	The Kit Should contain	3" x 3" Kinematic Platform Mount	2
a	the items listed in the	Kinematic Prism Mount Kinematic Prism Mount	2
.]	column of description.		2
	Minimum number of	Precision Right Angle Plate	2 2 3
		Neutral density Filter holder for 2" Optic	3
	required quantity for	Lens mount for Ø1" Optics	5
	each item is also	Lens mount for Ø2" Optics	5
	mentioned.	Adjustable lens mount 0. 2" to 2.3"	3
		Standard Iris 12 mm maximum aperture	3
		Rotated platform	2

16/08/11/4

		Distriction	
		Rotation Mount for Ø1" Optics with Adjustable Zero	2
-		point	
		Fixed Ø1" Optical Mount	5
		45° Mounting Adapter	2
1		45° Optic Holder, 1" Optic	3
		9 Drawer storage box	1
5.	Ø1" BK7 Uncoated Bi-	Focal length (f)	
	Convex Lens Kit,	f=25.4mm	1
	(material BK7). The kit	f= 35mm	î
	should contain the	f=50 mm	1
	lenses whose focal	f=75 mm	1
	lengths are listed in the	f=100mm	1
	column of description.	f=125mm	1
	Minimum number of	f=150 mm	1
	required quantity for	f=200 mm	1
	each item is also	f=250 mm	1
	mentioned.	f=300 mm	1
	(Ø represents diameter)	f=400mm	1
	(S represents diameter)	f=500mm	1
	200 20 0 0 0		1
		f=750 mm	1
		f=1000mm	1
6.	Ø2" Uncoated Plano-	Focal length (f)	
	Convex Lens Kit	f=75 mm	
	(material BK7).	f=100 mm	
	The kit should contain	f=125mm	
	the lenses whose focal	f=150 mm	1
	lengths are listed in the	f=200mm	1
	column of description.	f=300 mm	1
	Minimum number of	f=400 mm	1
	required quantity for		1
	each item is also	f=500 mm	1
	mentioned.	f=750 mm	1
		f=1000 mm	1
7	(Ø represents diameter)		
7.	Ø2" BK7 Plano-	f=50 mm	1
	Convex Lens		
	(Ø represents diameter)		
8.	Manual Filter wheel	Absorptive optical density (OD) filters with	2
	mounts with neutral	OD= 0.2, 0.3, 0.4, 0.5, 0.6, 1.0, 2.0, 3.0, 4.0	2
	density (ND) filters.	These ND filters should be mounted in a twelve	
	Uncoated	station dual filter wheel for Ø1" filters with base	
		assembly. Wavelength range: 400-650nm	
9	Ø1" Linear Polarizer	Wavelength range: 400-700nm	
	with BK7 Windows	This polarizer should be reconstituted to	1
	(Ø represents diameter)	This polarizer should be mounted in a high-precision	
	(Metric)	rotation mount for Ø1" Optics	
	(LIACE IC)		

TIOTOSTANL

10	Ø1" Zero-Order Half-	Operating wavelength: 532 nm	,	1
	Wave Plate with Quartz	SM1-Threaded Mount		1
	material			
	(Ø represents diameter)			
1	(Metric)			
1	M4 Cap screw and	M4 x 0.7 Cap Screw, 6 mm Long		60
	hardware Kit. Metric	M4 x 0.7 Cap Screw, 10 mm Long		50
	The Kit Should contain	M4 x 0.7 Cap Screw, 12 mm Long		40
	at least the items listed	M4 x 0.7 Cap Screw, 20 mm Long		25
	in the column of	M4 x 0.7 Cap Screw, 25 mm Long		25
	description. Minimum	M4 x 0.7 Cap Screw, 30 mm Long		20
	number of required	M4 x 0.7 Cap Screw, 40 mm Long		20
	quantity for each item	M4 Nut		90
2	is also mentioned.	M4 Washer		200
4	M4 Setscrew and	M4 x 0.7 Setscrew, 4 mm Long		450
	hardware Kit. Metric	M4 x 0.7 Setscrew, 6 mm Long		300
	The Kit Should contain	M4 x 0.7 Setscrew, 10 mm Long		150
	at least the items listed in the column of	M4 x 0.7 Setscrew, 12 mm Long		150
		M4 x 0.7 Setscrew, 16 mm Long		100
	description. Minimum	M4 x 0.7 Setscrew, 20 mm Long		50
	number of required	M4 x 0.7 Setscrew, 25 mm Long		50
	quantity for each item is also mentioned.			30
+	111			
- 1	M6 Cap screw and hardware Kit. Metric	M6 x 1.0 Cap Screw, 10 mm Long		50
	The Win St. Wietric	M6 x 1.0 Cap Screw, 12 mm Long		50
	The Rit Should contain	M6 x 1.0 Cap Screw, 16 mm Long		75
	at least the items listed	M6 x 1.0 Cap Screw, 20 mm Long		75
	in the column of	M6 x 1.0 Cap Screw, 25 mm Long		60
	description. William	M6 x 1.0 Cap Screw, 30 mm Long	-	50
		M6 x 1.0 Cap Screw, 35 mm Long		50
	quantity for each item	M6 x 1.0 Cap Screw, 45 mm Long		40
1		M6 x 1.0 Setscrew, 12 mm Long		120
		Mb x 1.0 Setscrew, 20 mm Long	=	60
1	M6 Setscrew and	0.25" Washer (M6 Compatible)		200
	two betserew and	M6 x 1.0 Setscrew, 6 mm Long		120
	TI Tr' of	M6 x 1.0 Setscrew, 10 mm Long		80
2	. 1	M6 x 1.0 Setscrew, 12 mm Long		60
i		M6 x 1.0 Setscrew, 16 mm Long	19	40
	1 1 T	M6 x 1.0 Setscrew, 20 mm Long		30
n	rescription. Willimum	16 x 1.0 Setscrew, 30 mm Long		30
0	quantity for each item	M6 x 1.0 Setscrew, 35 mm Long	, #2	25
i	s also mentioned			
112	s arso menuoned			
			M	1
			Taken	6
			1110100	