


TYPICAL SECTION OF R.C.C. RETAINING WALL
ADJACENT TO SPILLWAY STRUCTURE



R.C. DETAIL OF RETAINING WALL
ADJACENT TO SPILLWAY STRUCTURE

IMPORTANT NOTE

SEQUENCE OF EARTH FILLING
EARTH FILLING AND COMPACTION
ON EITHER SIDE OF R.C. WALL
SHALL BE CARRIED OUT
SIMULTANEOUSLY (•)
DIFFERENCE IN LEVEL SHALL
NOT EXCEED 1 METER AT ANY
STAGE OF EARTH FILL WORK.

NOTES:-

- FOR GENERAL NOTES REFER
DRAWING NO. 2009088/BS/C/SB-01/S-03.

MKD.	ISSUED	DESCRIPTION	DEALT	CHECKED	APPROVED

REVISIONS

THIS DRAWING HAS NOT BEEN PUBLISHED AND IS THE SOLE
PROPERTY OF CONSULTING ENGINEERING SERVICES (INDIA)
PVT. LTD. AND IS ISSUED TO THE PARTY FOR THE SPECIFIC
PURPOSE AS STATED IN THE AGREEMENT AND IT SHALL NOT
BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED
OF DIRECTLY OR INDIRECTLY, NOR USED FOR ANY OTHER
PURPOSE OTHER THAN FOR WHICH IT IS FURNISHED.



CLIENT
**INDIAN INSTITUTE OF SCIENCE
EDUCATION & RESEARCH
THIRUVANANTHAPURAM**

PROJECT
**IISER - TVM CAMPUS, VITHURA
THIRUVANANTHAPURAM**

PURPOSE FOR CONSTRUCTION
ISSUED 21-03-2013
SREELAL D.B.

SCALE 1:100, 1:25
STRUCTURAL DRAWING

DEALT GOVIND
G.A. AND R.C. DETAIL OF
RETAINING WALL ADJACENT
TO SPILLWAY STRUCTURE

CHECKED T.K.R.C.

APPROVED
ORG. NO.-
2009088/BS/C/LP/S-01
Rev.
RO

PROJECT DESIGN CONSULTANT
FOR THE IISER THIRUVANANTHAPURAM CAMPUS VITHURA

Sheet 18