



**INDIAN INSTITUTE OF SCIENCE EDUCATION AND  
RESEARCH THIRUVANANTHAPURAM [IISERTVM]**

PH.-0471 2778019,  
EMAIL: [purchasestores@iisertvm.ac.in](mailto:purchasestores@iisertvm.ac.in)

MARUTHAMALA,P.O VITHURA, P.O  
THIRUVANANTHAPURAM 695551,  
KERALA, INDIA  
GST No.32AAAJI0299R1ZS

IISER/PUR/0099/AD/PROJ/25-26

03 Sep 2025

**CORRIGENDUM**

**Sub:** Supply of PH Materials for IISER Tvm

**Ref: Tender ID:** 2025\_IISRT\_872429)1

1. The following technical specifications are added as corrigendum to the above mentioned tender

PVC Pipe and Fittings Gauge:

0.75" to 1.5" — 12.5 kg/cm<sup>2</sup>

2" to 2.5" — 6 kg/cm<sup>2</sup>

4" and above — 4 kg/cm<sup>2</sup>

CPVC Pipe and Fittings:  
Should be SDR-11.

CP Fittings:

Premium quality, ISI approved brands such as Jaquar, Parryware, and Hindware.

Kindly ensure these specifications are adhered to while preparing the quote.

2. The due dates are extended as follows:-

Bid submission end date: 08 Sep 2025 (1500 Hrs)

Bid opening date : 09 Sep 2025 (1530 Hrs)

3. All other Terms and Conditions remain the same. Bidders may quote accordingly

Thanking You,

Yours Faithfully

*Amar Sadath*  
3/9/25

Assistant Registrar (P&S)

